



MailXML Version 22.0

Supply Chain Messages Specification

October 3, 2018

Working Group Chair

Bob Schimek, Santori Software

Technical Director

Shariq Mirza, Idealliance

Editor:

Dianne Kennedy, Idealliance

Copyright (c) International Digital Enterprise Alliance, Inc. [Idealliance] (2004 – 2018). All Rights Reserved.

Mail.dat is a registered trademark of Idealliance

Mail.XML is a trademark of Idealliance



Copyright and Legal Notices

© 2001 – 2018 International Digital Enterprise Alliance, Inc. All Rights Reserved.

This document may be downloaded and copied provided that the above copyright notice and this Notice are included on all such copies. This document itself may not be modified in any way, except as needed for the purpose of developing International Digital Enterprise Alliance, Inc. ("Idealliance") specifications. Use of the specification or standard set forth in this document shall not create for the user any rights in or to such specification or standard or this document, which rights are exclusively reserved to Idealliance or its licensors or contributors.

Use of this document and any specification or standard contained herein is voluntary. By making use of this document or any specification or standard contained herein, the user assumes all risks and waives all claims against Idealliance, its licensors and contributors. By making this document available, Idealliance is not providing any professional services or advice to any person or entity. Any person or entity utilizing this document or any specification or standard contained herein should rely upon the advice of a competent professional before using any such information.

NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, LEGALITY, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THIS DOCUMENT OR IN ANY SPECIFICATION OR STANDARD OR OTHER PRODUCT MADE AVAILABLE BY IDEALLIANCE. THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN AND INCLUDED IN ANY SPECIFICATION OR STANDARD OR OTHER PRODUCT OR SERVICE OF IDEALLIANCE IS PROVIDED ON AN "AS IS" BASIS. IDEALLIANCE DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY ACTUAL OR ASSERTED WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL IDEALLIANCE, ITS LICENSEES, CONTRIBUTORS OR THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, REPRESENTATIVES, SUPPLIERS OR CONTENT OR SERVICE PROVIDERS BE LIABLE FOR DAMAGES OF ANY KIND, INCLUDING WITHOUT LIMITATION, DIRECT, INDIRECT, COMPENSATORY, SPECIAL, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION DAMAGES FROM DATA LOSS OR BUSINESS INTERRUPTION) EVEN IF MADE AWARE OF THE POSSIBILITY OF SUCH DAMAGES, WHETHER IN AN ACTION UNDER CONTRACT, TORT OR ANY OTHER THEORY, ARISING OUT OF OR IN CONNECTION WITH THE USE, INABILITY TO USE OR PERFORMANCE OF THIS DOCUMENT, THE SPECIFICATION OR STANDARD CONTAINED HEREIN, OR ANY OTHER DOCUMENT OR SPECIFICATION OR STANDARD MADE AVAILABLE BY IDEALLIANCE.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law.

Idealliance takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed or implicated with respect to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available. Idealliance does not represent that it has made any effort to identify any such rights. Information on Idealliance's procedures with respect to rights in Idealliance specifications can be found at the Idealliance website at www.Idealliance.org. Copies of third-party claims of rights, assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification, can be obtained from the President of Idealliance at patent-disclosure@Idealliance.org.

Idealliance requests interested parties to disclose any copyrights, trademarks, service marks, patents, patent applications, or other proprietary or intellectual property rights which may cover technology that may be required to implement this specification. Please address the information to the President of Idealliance at patent-disclosure@Idealliance.org.

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant and to work with FAST.

Mail.XML and Mail.dat are trademarks of Idealliance.

About MailXML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing.

The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS.

In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third party communication and incorporating presort planning, printing, and distribution processes.

What's New in MailXML Version 22.0?

With this release, the Mail.XML Messaging Protocol moves to Version 22.0. In addition to minor cleanup, this release supports Mail.dat modernization and provides a new message for mailers to notify USPS of transportation dispatch details.

Changes supported by MailXML 22.0 include:

- Correct the data type of the Start induction and End induction elements to be an XML dateTime datatype.
- Update transportation messages to reflect modernization of Mail.dat transportation fields.
- Add a new ability for mailers to notify USPS of dispatch details to enable USPS to better plan in order to increase efficiencies and lower costs.

About MailXML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)

- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

MailXML Module Versioning Rules

The following versioning rules will be followed:

- The MailXML wrapper schema**.xsd) will always be given the next higher version number (or Errara designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations:
`xmlns:mailxml="http://Idealliance.org/Specs/mailxml22.0/mailxml"
targetNamespace="http://Idealliance.org/Specs/mailxml22.0/mailxml"`
- When updates are made, only those modules that are updated will be given the next higher version number (or Errara letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) **and** all modules that call to them will also be given the next higher version number (or Errara designation).

For example:

- If the wrapper version is labeled as
`xmlns:mailxml="http://Idealliance.org/Specs/mailxml15.0A/mailxml"` then at least one of the XSDs is at same version such as filename ='mailxml_15.0.A.xsd' <- Errata A
- If the wrapper version is labeled as
`xmlns:mailxml="http://Idealliance.org/Specs/mailxml15.0B/mailxml"` then at least one of the XSDs is at same version such as filename ='mailxml_15.0B.xsd' <- Errata B
- If the wrapper version is labeled as
`xmlns:mailxml="http://Idealliance.org/Specs/mailxml15.0/mailxml"` then at least one of the XSDs is at same version such as filename ='mailxml_15.0.xsd' <- Major Version

MailXML 22.0 XSD Modules:

The following MailXML XSD modules/namespaces are used:

- **mailxml_tm.xsd**: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are *unique* to these messages.
Namespace=mailxml_tm:
- **mailxml_mm.xsd**: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml_mm:**
- **mailxml_iv.xsd**: This module contains informed visibility messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml_iv:**
- **mailxml_dd.xsd**: This module contains all the data distribution messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml_dd:**
- **mailxml_id.xsd**: This module contains all the identification messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml_id:**
- **mailxml_sc.xsd**: This module contains all the supply chain messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml_sc:**
- **mailxml_defs.xsd**: This module contains all the common definitions of attributes, elements and complex types that are used across two or more message types. **Namespace=mailxml_defs:**
- **mailxml_base.xsd**: This module contains simple types that are shared across two or more modules that make up mailxml. These can be considered a building block for any message group. **Namespace=mailxml_base:**
- **mailxml.xsd**: This module contains the system messages of MailXML and is used to build custom profiles for MailXML. **Namespace=mailxml:**

The MailXML™ 22 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 22.0. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- *Mail.XML™ 22.0: Transportation Messaging Specification* documents all transportation messages
- *Mail.XML™ 22.0: Mailing Messaging Specification* documents all mailing messages
- *Mail.XML™ 22.0: Informed Visibility Specification* documents all informed visibility messages
- *Mail.XML™ 22.0: Data Distribution Messaging Specification* documents all data distribution messages
- *Mail.XML™ 22.0: Identification Messaging Specification* documents all identification messages
- *Mail.XML™ 22.0: Supply Chain Messaging Specification* documents all supply chain messages
- *Mail.XML™ 22.0: System Messaging Specification* documents all systems and fault messages
- *Mail.XML™ 22.0: Simple Types Specification* documents all simple types used across MailXML messages
- *Mail.XML™ 22.0: Common Definitions Specification* documents all shared elements and complex types.

MailXML Version 22.0 Identification Specification

- *Mail.XML™ 22.0: Schemas* contains the .XSDs that make up the MailXML Messaging Specification

Table of Contents

Abstract	i
About Mail.XML™	i
What's New in Mail.XML Version 22.0?	i
About MailXML Schema Modularization	i
MailXML Module Versioning Rules	ii
MailXML 22.0 XSD Modules:	iii
The Mail.XML™ 22 Messaging Documentation Set	iii
1 Index.....	1
2 Elements and Types.....	3

1 Index

Elements

[ContainerStatusDelivery](#)
[ContainerStatusNotification](#)
[ContainerStatusQueryRequest](#)
[ContainerStatusQueryResponse](#)
[OriginalContainerLinkageCancelRequest](#)
[OriginalContainerLinkageCancelResponse](#)
[OriginalContainerLinkageCreateRequest](#)
[OriginalContainerLinkageCreateResponse](#)
[PostageAdjustmentCreateRequest](#)
[PostageAdjustmentCreateResponse](#)
[SiblingContainerCancelRequest](#)
[SiblingContainerCancelResponse](#)
[SiblingContainerCreateRequest](#)
[SiblingContainerCreateResponse](#)

Complex types

[CSQBlockType](#)
[linkageType](#)
[linkingContainerIDType](#)

Simple types

[adjustmentStatusType](#)
[adjustmentType](#)
[containerInfoIncludedInResponseFlagType](#)
[creditDebitIndicator](#)

2 Elements and Types

element ContainerStatusDelivery						
diagram	<pre> classDiagram class ContainerStatusDelivery { mailxml_defs:LargeTransaction mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_defs:DataRecipient mailxml_sc:PushMessageID mailxml_sc:UserLicenseCode mailxml_sc:MaildataJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:ContainerStatusInfoT } class mailxml_defs { MessageGroupID TotalMessageCount MessageSerialNum TransmittedRecordC... TotalRecordsAcross... LastMessage } class mailxml_sc { SubmittingParty SubmittingSoftware DataRecipient PushMessageID UserLicenseCode MaildataJobID CustomerGroupID MailingGroupID ContainerStatusInfoT } mailxml_defs < -- LargeTransaction mailxml_sc < -- SubmittingParty mailxml_sc < -- SubmittingSoftware mailxml_sc < -- DataRecipient mailxml_sc < -- PushMessageID mailxml_sc < -- UserLicenseCode mailxml_sc < -- MaildataJobID mailxml_sc < -- CustomerGroupID mailxml_sc < -- MailingGroupID mailxml_sc < -- ContainerStatusInfoT LargeTransaction "1..>" ContainerStatusDelivery SubmittingParty "1..>" ContainerStatusDelivery SubmittingSoftware "1..>" ContainerStatusDelivery DataRecipient "1..>" ContainerStatusDelivery PushMessageID "1..>" ContainerStatusDelivery UserLicenseCode "1..>" ContainerStatusDelivery MaildataJobID "1..>" ContainerStatusDelivery CustomerGroupID "1..>" ContainerStatusDelivery MailingGroupID "1..>" ContainerStatusDelivery ContainerStatusInfoT "1..>" ContainerStatusDelivery </pre>					
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc					
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_defs:DataRecipient mailxml_sc:PushMessageID mailxml_sc:UserLicenseCode mailxml_sc:MaildataJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:ContainerStatusInfoType					
attributes	Name mailxml_defs:MessageGroupID mailxml_defs:TotalMessageCount mailxml_defs:MessageSerialNumber mailxml_defs:TransmittedRecordCount mailxml_defs:TotalRecordsAcrossMessages mailxml_defs:LastMessage	Type mailxml_base:s20 xs:positiveInteger xs:positiveInteger xs:positiveInteger xs:positiveInteger mailxml_base:yesNo	Use optional optional optional optional optional optional	Default	Fixed	Annotation
annotation	documentation Delivery of container status data from USPS.					

element **ContainerStatusDelivery/SubmittingParty**

diagram	<pre> classDiagram participantIDType { <<attributes>> MailerID6 MailerID9 CRID SchedulerID MaildatUserLicense ShippingAgentID ReceivingAgentID } SubmittingParty < -- participantIDType </pre>																																																
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailerID6	mailxml_base:mailerID6Type					mailerID9	mailxml_base:mailerID9Type					CRID	mailxml_base:CRIDType					SchedulerID	mailxml_base:s12					MaildatUserLicense	mailxml_base:userLicenseCodeType					ShippingAgentID	mailxml_base:s12					ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailerID6	mailxml_base:mailerID6Type																																																
mailerID9	mailxml_base:mailerID9Type																																																
CRID	mailxml_base:CRIDType																																																
SchedulerID	mailxml_base:s12																																																
MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
ShippingAgentID	mailxml_base:s12																																																
ReceivingAgentID	mailxml_base:s12																																																

element **ContainerStatusDelivery/SubmittingSoftware**

diagram	<pre> classDiagram submittingSoftwareType { <<attributes>> SoftwareName Vendor Version ApprovalDate ApprovalKey } SubmittingSoftware < -- submittingSoftwareType </pre>																																				
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	SoftwareName	xs:string	required				Vendor	xs:string	required				Version	xs:string	required				ApprovalDate	xs:date					ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
SoftwareName	xs:string	required																																			
Vendor	xs:string	required																																			
Version	xs:string	required																																			
ApprovalDate	xs:date																																				
ApprovalKey	xs:string																																				


element **ContainerStatusDelivery/PushMessageID**

diagram	<pre> classDiagram PushMessageID </pre>
---------	---

MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25


element **ContainerStatusDelivery/UserLicenseCode**

diagram	 mailxml_sc:UserLicenseCode
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element **ContainerStatusDelivery/MaildatJobID**

diagram	 mailxml_sc:MaildatJobID
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType

element **ContainerStatusDelivery/CustomerGroupID**

diagram	 mailxml_sc:CustomerGroupID
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25

element **ContainerStatusDelivery/MailingGroupID**


diagram	 mailxml_sc:MailingGroupID
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger

element **ContainerStatusDelivery/ContainerStatusInfoType**


diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:containerStatusInfoType
children	mailxml_defs:ContainerID mailxml_defs:IMcb mailxml_defs:ConsigneeApptID mailxml_defs:ShipperApptRequestID mailxml_defs:ConsigneeContainerManifestID mailxml_defs:ContentID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:eInductionIndicator mailxml_defs:ContainerKeysInfo mailxml_defs:ContainerDetail mailxml_defs:ConsolidatorCommunicationInfo mailxml_defs:PaymentInfo mailxml_defs:ApptInfo mailxml_defs:eDocFacility mailxml_defs:PlannedAppointmentFacility mailxml_defs:InductionFacility mailxml_defs:PreInductionInfo mailxml_defs:ContainerReleaseInfo mailxml_defs:InductionCloseoutInfo mailxml_defs:InductionIssues mailxml_defs:PostInductionInfo

MailXML Version 22.0 Identification Specification

element ContainerStatusNotification

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml sc:SubmittingParty mailxml sc:SubmittingSoftware mailxml sc:PushMessageID mailxml sc:UserLicenseCode mailxml sc:MaildatJobID mailxml sc:CustomerGroupID mailxml sc:MailingGroupID mailxml sc:AvailableRecordCount mailxml sc:CSQBlockType mailxml sc:NotificationDate
annotation	<p>documentation</p> <p>Notification from USPS that a container status information is ready for pickup.</p>

element ContainerStatusNotification/SubmittingParty

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element ContainerStatusNotification/SubmittingSoftware

diagram	<pre> graph TD mailxml_scSubmittingSoftware[mailxml_sc:SubmittingSoftware] --> mailxml_defSubmittingSoftwareType[mailxml_defs:submittingSoftwareType] subgraph mailxml_defSubmittingSoftwareType [mailxml_defs:submittingSoftwareType] direction TB attr[attributes] attr --> SoftwareName[mailxml_defs:SoftwareName] attr --> Vendor[mailxml_defs:Vendor] attr --> Version[mailxml_defs:Version] attr --> ApprovalDate[mailxml_defs:ApprovalDate] attr --> ApprovalKey[mailxml_defs:ApprovalKey] end </pre>																																				
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element ContainerStatusNotification/PushMessageID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25

element ContainerStatusNotification/UserLicenseCode

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element ContainerStatusNotification/MaildatJobID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType

element ContainerStatusNotification/CustomerGroupID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25


element **ContainerStatusNotification/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger

element **ContainerStatusNotification/AvailableRecordCount**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger


element **ContainerStatusNotification/CSQBlockType**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_sc:CSQBlockType
children	mailxml_sc:UserLicenseCode mailxml_sc:MaildataJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:ContainerKeysInfo mailxml_sc:ContainerDetail mailxml_sc:ConsolidatorCommunicationInfo mailxml_sc:PaymentInfo mailxml_sc:ApptInfo mailxml_sc:eDocFacility mailxml_sc:PlannedAppointmentFacility mailxml_sc:InductionFacility mailxml_sc:PreInductionInfo mailxml_sc:ContainerReleaseInfo mailxml_sc:InductionCloseoutInfo mailxml_sc:InductionIssues mailxml_sc:PostinductionInfo


element **ContainerStatusNotification/NotificationDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:date

element **ContainerStatusQueryRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_sc:SubmitterTrackingID mailxml_sc:eInductionIndicator mailxml_sc:ContainerInfoIncludedInResponseFlag mailxml_sc:ConsigneeApptID mailxml_sc:ContentID mailxml_sc:ConsigneeContainerManifestID mailxml_sc:ContainerID mailxml_sc:UserLicenseCode mailxml_sc:MaildatJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:IMcb
annotation	documentation Query request for container status.

element **ContainerStatusQueryRequest/SubmittingParty**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:participantIDType

MailXML Version 22.0 Identification Specification

	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element ContainerStatusQueryRequest/SubmittingSoftware

diagram	<pre> classDiagram class mailxml_scSubmittingSoftware class mailxml_defSubmittingSoftwareType { SoftwareName Vendor Version ApprovalDate ApprovalKey } mailxml_scSubmittingSoftware "1" --> "1" mailxml_defSubmittingSoftwareType </pre>																																				
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defSubmittingSoftwareType																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element ContainerStatusQueryRequest/SubmitterTrackingID

diagram	<pre> classDiagram class mailxml_scSubmitterTrackingID class mailxml_baseSubmittingSoftwareType mailxml_scSubmitterTrackingID "1" --> "1" mailxml_baseSubmittingSoftwareType </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element ContainerStatusQueryRequest/eInductionIndicator

diagram	<pre> classDiagram class mailxml_scEInductionIndicator class mailxml_baseYesNoType mailxml_scEInductionIndicator "1" --> "1" mailxml_baseYesNoType </pre>									
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **ContainerStatusQueryRequest/ContainerInfoIncludedInResponseFlag**

diagram			
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc		
type	mailxml_sc:containerInfoIncludedInResponseFlagType		
facets	Kind	Value	Annotation
	enumeration	ContainerDetail	
	enumeration	PalletHandoffInfo	
	enumeration	ConsolidatorCommunicationInfo	
	enumeration	PaymentInfo	
	enumeration	AppointmentInfo	
	enumeration	FacilityInfo	
	enumeration	PreInductionValidation	
	enumeration	ContainerReleaseInfo	
	enumeration	InductionCloseoutInfo	
	enumeration	InductionIssues	
	enumeration	PostInductionValidation	
	enumeration	All	


element **ContainerStatusQueryRequest/ConsigneeApptID**

diagram			
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc		
type	mailxml_base:s12		


element **ContainerStatusQueryRequest/ContentID**

diagram					
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc				
type	mailxml_defs:contentIDType				
attributes	Name	Type	Use	Default	Fixed
	mailxml_defs:ConsigneeContentID	mailxml_base:s12	required		Annotation
	mailxml_defs:ScheduledContentID	mailxml_base:s12			


element **ContainerStatusQueryRequest/ConsigneeContainerManifestID**

diagram			
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc		
type	xs:nonNegativeInteger		

element ContainerStatusQueryRequest/ContainerID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:containerIDType
children	mailxml_defs:MaildatContainer mailxml_defs:MailXMLContainer


element ContainerStatusQueryRequest/UserLicenseCode

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element ContainerStatusQueryRequest/MaildatJobID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType

element ContainerStatusQueryRequest/CustomerGroupID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25


element ContainerStatusQueryRequest/MailingGroupID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger


element ContainerStatusQueryRequest/IMcb

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:IMcbType


element **ContainerStatusQueryResponse**

diagram																																											
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																										
children	mailxml sc:TrackingID mailxml sc:SubmitterTrackingID mailxml sc:QueryResults mailxml_defs:QueryError																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	documentation Query response for container status.																																										


element **ContainerStatusQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **ContainerStatusQueryResponse/SubmitterTrackingID**


diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **ContainerStatusQueryResponse/QueryResults**


diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc

children	mailxml_defs:LargeTransactionDividerResult mailxml_sc:ContainerStatusInfoType
element ContainerStatusQueryResponse/QueryResults/ContainerStatusInfoType	
diagram	<pre> classDiagram class mailxml_sc:ContainerStatusInfoT { mailxml_defs:ContainerID mailxml_defs:IMcb mailxml_defs:ConsigneeApptID mailxml_defs:ShipperApptRequestID mailxml_defs:ConsigneeContainerManifestID mailxml_defs:ContentID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:InductionIndicator mailxml_defs:ContainerKeysInfo mailxml_defs:ContainerDetail mailxml_defs:ConsolidatorCommunicationInfo mailxml_defs:PaymentInfo mailxml_defs:ApptInfo mailxml_defs:eDocFacility mailxml_defs:PlannedAppointmentFacility mailxml_defs:InductionFacility mailxml_defs:PreInductionInfo mailxml_defs:ContainerReleaseInfo mailxml_defs:InductionCloseoutInfo mailxml_defs:InductionIssues mailxml_defs:PostInductionInfo } mailxml_sc < -- mailxml_sc:ContainerStatusInfoType </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:containerStatusInfoType
children	mailxml_defs:ContainerID mailxml_defs:IMcb mailxml_defs:ConsigneeApptID mailxml_defs:ShipperApptRequestID mailxml_defs:ConsigneeContainerManifestID mailxml_defs:ContentID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:InductionIndicator mailxml_defs:ContainerKeysInfo mailxml_defs:ContainerDetail mailxml_defs:ConsolidatorCommunicationInfo mailxml_defs:PaymentInfo mailxml_defs:ApptInfo mailxml_defs:eDocFacility mailxml_defs:PlannedAppointmentFacility mailxml_defs:InductionFacility mailxml_defs:PreInductionInfo mailxml_defs:ContainerReleaseInfo mailxml_defs:InductionCloseoutInfo mailxml_defs:InductionIssues mailxml_defs:PostInductionInfo

element **OriginalContainerLinkageCancelRequest**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_sc:SubmitterTrackingID mailxml_sc:CancelLinkage																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	documentation Request to cancel the link between an original container to a sibling container.																														

element **OriginalContainerLinkageCancelRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID					
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID																																																	

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

element OriginalContainerLinkageCancelRequest/SubmittingSoftware

diagram	<pre> classDiagram class mailxml_scSubmittingSoftware class mailxml_defsSubmittingSoftwareType { SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } mailxml_scSubmittingSoftware "1..>" mailxml_defsSubmittingSoftwareType </pre>																																				
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element OriginalContainerLinkageCancelRequest/SubmitterTrackingID

diagram	<pre> classDiagram class mailxml_scSubmitterTrackingID </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element OriginalContainerLinkageCancelRequest/CancelLinkage

diagram	<pre> sequenceDiagram participant SC_CancelLinkage as mailxml_scCancelLinkage participant SC_LinkageType as mailxml_sclinkageType participant SC_OriginalContainer as mailxml_scOriginalContainer participant SC_LinkedContainer as mailxml_scLinkedContainer SC_CancelLinkage->>SC_LinkageType: activate SC_LinkageType SC_LinkageType-->>SC_OriginalContainer: SC_LinkageType-->>SC_LinkedContainer: deactivate SC_LinkageType </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_sc:linkageType
children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer

element OriginalContainerLinkageCancelResponse

diagram	<pre> sequenceDiagram participant OC_Cancel as OriginalContainerLinkageCancel... participant SC_TrackingID as mailxml_scTrackingID participant SC_SubmitterTrackingID as mailxml_scSubmitterTrackingID participant SC_OCLR as mailxml_scOriginalContainerLinkageCancelResponse OC_Cancel-->>SC_TrackingID: activate SC_TrackingID SC_TrackingID-->>SC_SubmitterTrackingID: SC_TrackingID-->>SC_OCLR: deactivate SC_TrackingID </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc

MailXML Version 22.0 Identification Specification

children	mailxml sc:TrackingID mailxml sc:SubmitterTrackingID mailxml sc:OriginalContainerLinkageCancelAccept mailxml sc:OriginalContainerLinkageCancelReject
annotation	documentation Response to the request to cancel the link between an original container to a sibling container.

element **OriginalContainerLinkageCancelResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **OriginalContainerLinkageCancelResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelAccept**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
children	mailxml sc:CancelLinkage mailxml sc:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element

OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelAccept/CancelLinkage

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc

MailXML Version 22.0 Identification Specification

type	mailxml_sc:linkageType
children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer

element **OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelReject**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
children	mailxml_sc:CancelLinkage mailxml_sc:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														


element **OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelReject/CancelLinkage**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_sc:linkageType


MailXML Version 22.0 Identification Specification

children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer
----------	---


element **OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **OriginalContainerLinkageCreateRequest**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_sc:SubmitterTrackingID mailxml_sc>CreateLinkage																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	documentation Request to link an original container with a sibling container.																														


element **OriginalContainerLinkageCreateRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **OriginalContainerLinkageCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				


element **OriginalContainerLinkageCreateRequest/SubmitterTrackingID**

diagram	
---------	---


MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **OriginalContainerLinkageCreateRequest/CreateLinkage**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_sc:linkageType
children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer


element **OriginalContainerLinkageCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:TrackingID mailxml_sc:SubmitterTrackingID mailxml_sc:LinkedContainerCreateAccept mailxml_sc:LinkedContainerCreateReject
annotation	documentation Response to the request to link an original container with a sibling container.


element **OriginalContainerLinkageCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element **OriginalContainerLinkageCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element **OriginalContainerLinkageCreateResponse/LinkedContainerCreateAccept**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
children	mailxml_sc:LinkageCreated mailxml_sc:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														


element **OriginalContainerLinkageCreateResponse/LinkedContainerCreateAccept/LinkageCreated**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_sc:linkageType
children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer


element **OriginalContainerLinkageCreateResponse/LinkedContainerCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **OriginalContainerLinkageCreateResponse/LinkedContainerCreateReject**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
children	mailxml_sc:LinkageRejected mailxml_sc:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														


element **OriginalContainerLinkageCreateResponse/LinkedContainerCreateReject/LinkageRejected**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_sc:linkageType
children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer


element **OriginalContainerLinkageCreateResponse/LinkedContainerCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **PostageAdjustmentCreateRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_sc:SubmitterTrackingID mailxml_sc:UserLicenseCode mailxml_sc:MaildatJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:PostageAdjustment
annotation	documentation Request to create a postage adjustment.

element **PostageAdjustmentCreateRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element PostageAdjustmentCreateRequest/SubmittingSoftware

diagram	<pre> graph LR SS[mailxml_sc:SubmittingSoftware] --- SSTD[mailxml_defs:submittingSoftwareType] style SSTD fill:#ffffcc SSTD --> SoftwareName[mailxml_defs:SoftwareName] SSTD --> Vendor[mailxml_defs:Vendor] SSTD --> Version[mailxml_defs:Version] SSTD --> ApprovalDate[mailxml_defs:ApprovalDate] SSTD --> ApprovalKey[mailxml_defs:ApprovalKey] </pre>																																				
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element PostageAdjustmentCreateRequest/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element PostageAdjustmentCreateRequest/UserLicenseCode

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element PostageAdjustmentCreateRequest/MaildatJobID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType


element PostageAdjustmentCreateRequest/CustomerGroupID

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25

element **PostageAdjustmentCreateRequest/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger

element **PostageAdjustmentCreateRequest/PostageAdjustment**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:PostageAdjustmentUserID mailxml_sc:StatementID mailxml_sc:RateType mailxml_sc:AdjustmentDate mailxml_sc:AdjustmentType mailxml_sc:AdjustmentAmount mailxml_sc:CreditDebitIndicator mailxml_sc:TotalPiecesAffected mailxml_sc:UserComments mailxml_sc:UserPostageStatementID mailxml_sc:AdjustmentStatus

element **PostageAdjustmentCreateRequest/PostageAdjustment/PostageAdjustmentUserID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s12

element **PostageAdjustmentCreateRequest/PostageAdjustment/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger

element **PostageAdjustmentCreateRequest/PostageAdjustment/RateType**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:rateType

MailXML Version 22.0 Identification Specification

facets	Kind	Value	Annotation
	enumeration	R	
	enumeration	L	
	enumeration	B	
	enumeration	C	
	enumeration	S	
	enumeration	S1	
	enumeration	S2	
	enumeration	S3	
	enumeration	S4	
	enumeration	S5	
	enumeration	S6	
	enumeration	S7	
	enumeration	F	
	enumeration	A	
	enumeration	N	
	enumeration	P	
	enumeration	T	
	enumeration	D	
	enumeration	X	
	enumeration	H	
	enumeration	M	
	enumeration	Z	
	enumeration	E	
	enumeration	E4	
	enumeration	G	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	J	
	enumeration	K	
	enumeration	V	
	enumeration	W	
	enumeration	Y	
	enumeration	Q	

element **PostageAdjustmentCreateRequest/PostageAdjustment/AdjustmentDate**

diagram	 mailxml_sc:AdjustmentDate
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:date

element **PostageAdjustmentCreateRequest/PostageAdjustment/AdjustmentType**

diagram	 mailxml_sc:AdjustmentType
---------	---


MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc															
type	mailxml_sc:adjustmentType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4	
Kind	Value	Annotation														
enumeration	1															
enumeration	2															
enumeration	3															
enumeration	4															

element **PostageAdjustmentCreateRequest/PostageAdjustment/AdjustmentAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:double


element **PostageAdjustmentCreateRequest/PostageAdjustment/CreditDebitIndicator**

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_sc:creditDebitIndicator									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	C		enumeration	D	
Kind	Value	Annotation								
enumeration	C									
enumeration	D									


element **PostageAdjustmentCreateRequest/PostageAdjustment/TotalPiecesAffected**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger


element **PostageAdjustmentCreateRequest/PostageAdjustment/UserComments**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element **PostageAdjustmentCreateRequest/PostageAdjustment/UserPostageStatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s10

element **PostageAdjustmentCreateRequest/PostageAdjustment/AdjustmentStatus**

diagram																			
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																		
type	mailxml_sc:adjustmentStatusType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>X</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>T</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	X		enumeration	C		enumeration	P		enumeration	T	
Kind	Value	Annotation																	
enumeration	R																		
enumeration	X																		
enumeration	C																		
enumeration	P																		
enumeration	T																		

element **PostageAdjustmentCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:TrackingID mailxml_sc:SubmitterTrackingID mailxml_sc:PostageAdjustmentCreateAccept mailxml_sc:PostageAdjustmentCreateReject
annotation	documentation Response to a request to create a postage adjustment.


element **PostageAdjustmentCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element **PostageAdjustmentCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:UserLicenseCode mailxml_sc:MaildatJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:PostageAdjustmentUserID mailxml_sc:UserPostagestation mailxml_sc:StatementID mailxml_sc:ReturnInfo


element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/UserLicenseCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/MaildatJobID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/CustomerGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger

element

PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/PostageAdjustmentUserID

diagram	
---------	---

MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s12


element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/UserPostagestatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s10


element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:UserLicenseCode mailxml_sc:MaildatJobID mailxml_sc:CustomerGroupID mailxml_sc:MailingGroupID mailxml_sc:PostageAdjustmentUserID mailxml_sc:ReturnInfo

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject/UserLicenseCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject/MaildatJobID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType

element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject/CustomerGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25


element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger


element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject/PostageAdjustmentUserID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s12


element **PostageAdjustmentCreateResponse/PostageAdjustmentCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **SiblingContainerCancelRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_sc:SubmitterTrackingID mailxml_sc:OriginalContainer mailxml_sc:SiblingToDelete
annotation	documentation Request to cancel a sibling container.

element **SiblingContainerCancelRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailerID6	mailxml_base:mailerID6Type					mailerID9	mailxml_base:mailerID9Type					CRID	mailxml_base:CRIDType					SchedulerID	mailxml_base:s12					MaildatUserLicense	mailxml_base:userLicenseCodeType					ShippingAgentID	mailxml_base:s12					ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailerID6	mailxml_base:mailerID6Type																																																
mailerID9	mailxml_base:mailerID9Type																																																
CRID	mailxml_base:CRIDType																																																
SchedulerID	mailxml_base:s12																																																
MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
ShippingAgentID	mailxml_base:s12																																																
ReceivingAgentID	mailxml_base:s12																																																

element **SiblingContainerCancelRequest/SubmittingSoftware**

diagram																																					
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				


element **SiblingContainerCancelRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element **SiblingContainerCancelRequest/OriginalContainer**

diagram	<pre>graph TD; OC[mailxml_sc:OriginalContainer] --> FCIDType[mailxml_defs:fullContainerIDType]; FCIDType --> CG[mailxml_defs:CustomerGroupID]; FCIDType --> MG[mailxml_defs:MailingGroupID]; FCIDType --> UL[mailxml_defs:UserLicenseCode]; FCIDType --> MJ[mailxml_defs:MaildatJobID]; FCIDType --> CID[mailxml_defs:ContainerID]; CID -- "1..oo" --> CID; CID --> IMtb[mailxml_defs:IMtb]; CID --> IMcb[mailxml_defs:IMcb];</pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **SiblingContainerCancelRequest/SiblingToDelete**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildataJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **SiblingContainerCancelResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:TrackingID mailxml_sc:SubmitterTrackingID mailxml_sc:SiblingContainerCancelAccept mailxml_sc:SiblingContainerCancelReject
annotation	documentation Response to a request to cancel a sibling container.


element **SiblingContainerCancelResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **SiblingContainerCancelResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20


element **SiblingContainerCancelResponse/SiblingContainerCancelAccept**

diagram	
---------	---


MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml sc:CancelledSiblingContainer mailxml sc:ReturnInfo


element **SiblingContainerCancelResponse/SiblingContainerCancelAccept/CancelledSiblingContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **SiblingContainerCancelResponse/SiblingContainerCancelAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **SiblingContainerCancelResponse/SiblingContainerCancelReject**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:SiblingToDelete mailxml_sc:ReturnInfo


element **SiblingContainerCancelResponse/SiblingContainerCancelReject/SiblingToDelete**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **SiblingContainerCancelResponse/SiblingContainerCancelReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **SiblingContainerCreateRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:SubmittingParty mailxml_sc:SubmittingSoftware mailxml_sc:SubmitterTrackingID mailxml_sc:OriginalContainer mailxml_sc:NewSiblingContainer mailxml_sc:ContainerType
annotation	documentation Request to create a uniquely identified sibling container by adding a sibling container to an existing Mail.dat.


element **SiblingContainerCreateRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **SiblingContainerCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **SiblingContainerCreateRequest/SubmitterTrackingID**

diagram	
---------	---

MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **SiblingContainerCreateRequest/OriginalContainer**

diagram	<pre> classDiagram class mailxml_sc:OriginalContainer class mailxml_defs:CustomerGroupID class mailxml_defs:MailingGroupID class mailxml_defs:UserLicenseCode class mailxml_defs:MaildatJobID class mailxml_defs:ContainerID class mailxml_defs:IMtb class mailxml_defs:IMcb mailxml_sc:OriginalContainer "1..∞" --> mailxml_defs:ContainerID mailxml_sc:OriginalContainer --> mailxml_defs:CustomerGroupID mailxml_sc:OriginalContainer --> mailxml_defs:MailingGroupID mailxml_sc:OriginalContainer --> mailxml_defs:UserLicenseCode mailxml_sc:OriginalContainer --> mailxml_defs:MaildatJobID mailxml_sc:OriginalContainer --> mailxml_defs:IMtb mailxml_sc:OriginalContainer --> mailxml_defs:IMcb </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

element **SiblingContainerCreateRequest/NewSiblingContainer**

diagram	<pre> classDiagram class mailxml_sc>NewSiblingContainer class mailxml_defs:CustomerGroupID class mailxml_defs:MailingGroupID class mailxml_defs:UserLicenseCode class mailxml_defs:MaildatJobID class mailxml_defs:ContainerID class mailxml_defs:IMtb class mailxml_defs:IMcb mailxml_sc>NewSiblingContainer "1..∞" --> mailxml_defs:ContainerID mailxml_sc>NewSiblingContainer --> mailxml_defs:CustomerGroupID mailxml_sc>NewSiblingContainer --> mailxml_defs:MailingGroupID mailxml_sc>NewSiblingContainer --> mailxml_defs:UserLicenseCode mailxml_sc>NewSiblingContainer --> mailxml_defs:MaildatJobID mailxml_sc>NewSiblingContainer --> mailxml_defs:IMtb mailxml_sc>NewSiblingContainer --> mailxml_defs:IMcb </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

element **SiblingContainerCreateRequest/ContainerType**

diagram	<pre> classDiagram class mailxml_sc:ContainerType </pre>															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc															
type	mailxml_base:mailXMLContainerType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4	
Kind	Value	Annotation														
enumeration	1															
enumeration	2															
enumeration	3															
enumeration	4															

	enumeration 5 enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration 10 enumeration 11 enumeration 12 enumeration 13 enumeration 14 enumeration E enumeration F enumeration L enumeration O enumeration P enumeration S enumeration T enumeration V enumeration B enumeration U enumeration Z enumeration X enumeration H enumeration A enumeration G enumeration D enumeration R enumeration C enumeration CT enumeration M enumeration AB enumeration Y
--	---

element **SiblingContainerCreateResponse**

diagram	<pre> sequenceDiagram participant SC as SiblingContainerCreateResponse participant TrackingID as mailxml_sc:TrackingID participant SubmitterTrackingID as mailxml_sc:SubmitterTrackingID participant SiblingContainerCreateAccept as mailxml_sc:SiblingContainerCreateAccept participant SiblingContainerCreateReject as mailxml_sc:SiblingContainerCreateReject SC->>SC: SiblingContainerCreateResponse activate SC SC->>TrackingID: activate TrackingID SC->>SubmitterTrackingID: activate SubmitterTrackingID parallelRegion1 { SC-->>SAC: activate SAC SAC-->>SC: deactivate SAC } parallelRegion2 { SC-->>SCR: activate SCR SCR-->>SC: deactivate SCR } deactivate SC </pre>
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:TrackingID mailxml_sc:SubmitterTrackingID mailxml_sc:SiblingContainerCreateAccept mailxml_sc:SiblingContainerCreateReject
annotation	documentation Response to a request to create a uniquely identified sibling container by adding a sibling container to an existing Mail.dat

element **SiblingContainerCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **SiblingContainerCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s20

element **SiblingContainerCreateResponse/SiblingContainerCreateAccept**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:AcceptedSiblingContainer mailxml_sc:ReturnInfo

element **SiblingContainerCreateResponse/SiblingContainerCreateAccept/AcceptedSiblingContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **SiblingContainerCreateResponse/SiblingContainerCreateAccept/ReturnInfo**

diagram	
---------	--


MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **SiblingContainerCreateResponse/SiblingContainerCreateReject**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:RejectedSiblingContainer mailxml_sc:ReturnInfo


element **SiblingContainerCreateResponse/SiblingContainerCreateReject/RejectedSiblingContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **SiblingContainerCreateResponse/SiblingContainerCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

complexType **CSQBlockType**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml sc:UserLicenseCode mailxml sc:MaildatJobID mailxml sc:CustomerGroupID mailxml sc:MailingGroupID mailxml sc:ContainerKeysInfo mailxml sc:ContainerDetail mailxml sc:ConsolidatorCommunicationInfo mailxml sc:PaymentInfo mailxml sc:ApptInfo mailxml sc:eDocFacility mailxml sc:PlannedAppointmentFacility mailxml sc:InductionFacility mailxml sc:PreInductionInfo mailxml sc:ContainerReleaseInfo mailxml sc:InductionCloseoutInfo mailxml sc:InductionIssues mailxml sc:PostInductionInfo
used by	element ContainerStatusNotification/CSQBlockType


element **CSQBlockType/UserLicenseCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:userLicenseCodeType

element **CSQBlockType/MaildatJobID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:jobIDType

element **CSQBlockType/CustomerGroupID**

diagram	
---------	---

MailXML Version 22.0 Identification Specification

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:s25

element **CSQBlockType/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	xs:nonNegativeInteger


element **CSQBlockType/ContainerKeysInfo**

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **CSQBlockType/ContainerDetail**

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **CSQBlockType/ConsolidatorCommunicationInfo**

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **CSQBlockType/PaymentInfo**

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element CSQBlockType/ApptInfo

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element CSQBlockType/eDocFacility

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element CSQBlockType/PlannedAppointmentFacility

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element CSQBlockType/InductionFacility

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element CSQBlockType/PreInductionInfo


diagram							
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc						
type	mailxml_base:yesNo						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes	
Kind	Value	Annotation					
enumeration	Yes						

	enumeration No
--	----------------


element CSQBlockType/ContainerReleaseInfo

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element CSQBlockType/InductionCloseoutInfo

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element CSQBlockType/InductionIssues

diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element CSQBlockType/PostInductionInfo


diagram										
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

complexType linkageType


diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml_sc:OriginalContainer mailxml_sc:LinkedContainer

used by	elements OriginalContainerLinkageCancelRequest/CancelLinkage OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelAccept/CancelLinkage OriginalContainerLinkageCancelResponse/OriginalContainerLinkageCancelReject/CancelLinkage OriginalContainerLinkageCreateRequest/CreateLinkage OriginalContainerLinkageCreateResponse/LinkedContainerCreateAccept/LinkageCreated OriginalContainerLinkageCreateResponse/LinkedContainerCreateReject/LinkageRejected
---------	--


element **linkageType/OriginalContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml sc:linkingContainerIDType
children	mailxml sc:MaildatContainer mailxml sc:MailXMLContainer mailxml sc:ContainerBarcode


element **linkageType/LinkedContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml sc:linkingContainerIDType
children	mailxml sc:MaildatContainer mailxml sc:MailXMLContainer mailxml sc:ContainerBarcode


complexType **linkingContainerIDType**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
children	mailxml sc:MaildatContainer mailxml sc:MailXMLContainer mailxml sc:ContainerBarcode
used by	elements linkageType/LinkedContainer linkageType/OriginalContainer

element **linkingContainerIDType/MaildatContainer**

diagram																															
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc																														
type	mailxml_defs:maildatContainerIDType																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ContainerID</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UniqueContainerBarcode</td> <td>mailxml_base:IMcbType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:ContainerID	mailxml_base:s06					mailxml_defs:UniqueContainerBarcode	mailxml_base:IMcbType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:ContainerID	mailxml_base:s06																														
mailxml_defs:UniqueContainerBarcode	mailxml_base:IMcbType																														

element **linkingContainerIDType/MailXMLContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_defs:MailXMLContainerIDType
children	mailxml_defs:MailingGroupID mailxml_defs:CustomerGroupID mailxml_defs:ContainerID mailxml_defs:ContainerBarcode

element **linkingContainerIDType/ContainerBarcode**

diagram	
namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc
type	mailxml_base:IMcbType

simpleType **adjustmentStatusType**

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc									
type	restriction of xs:string									
used by	element PostageAdjustmentCreateRequest/PostageAdjustment/AdjustmentStatus									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>X</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	X	
Kind	Value	Annotation								
enumeration	R									
enumeration	X									

	enumeration C
	enumeration P
	enumeration T

simpleType adjustmentType

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc		
type	restriction of xs:string		
used by	element PostageAdjustmentCreateRequest/PostageAdjustment/AdjustmentType		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	

simpleType containerInfoIncludedInResponseType

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc		
type	restriction of xs:string		
used by	element ContainerStatusQueryRequest/ContainerInfoIncludedInResponseFlag		
facets	Kind	Value	Annotation
	enumeration	ContainerDetail	
	enumeration	PalletHandoffInfo	
	enumeration	ConsolidatorCommunicationInfo	
	enumeration	PaymentInfo	
	enumeration	AppointmentInfo	
	enumeration	FacilityInfo	
	enumeration	PreInductionValidation	
	enumeration	ContainerReleaseInfo	
	enumeration	InductionCloseoutInfo	
	enumeration	InductionIssues	
	enumeration	PostInductionValidation	
	enumeration	All	

simpleType creditDebitIndicator

namespace	http://idealliance.org/Specs/mailxml22.0/mailxml_sc		
type	restriction of xs:string		
used by	element PostageAdjustmentCreateRequest/PostageAdjustment/CreditDebitIndicator		
facets	Kind	Value	Annotation
	enumeration	C	
	enumeration	D	